

TO BE USED FOR MOVEMENT OF MOBILE HOMES, MODULAR BUILDINGS, PARK MODEL TRAILERS, HALF HOUSES, BUNKHOUSES, SKID SHACKS AND HOUSEBOATS IN EXCESS OF 3.2 METRES IN WIDTH UP TO AND INCLUDING 3.8 METRES AND 31.5 METRES OVERALL LENGTH

Travel Times Pilot (March 19/12 to March 18/13): **Travel at any time on any day, except:**

- No travel on Fridays and Saturdays from 15:30 until 04:00 the next day (except in the Peace Region), and
- In the Lower Mainland, west of Abbotsford (Hwy 11) and south of Squamish, no travel on weekdays from 07:00 to 09:00 or from 15:30 to 18:00, except between Abbotsford and 104 Street on Highway 1, and
- No travel during General Holiday restrictions, described at Section 3.8.7 of the Commercial Transport Procedures Manual (CTPM) at www.cvse.ca (except in the Peace Region)

Feedback regarding this pilot project will be reviewed quarterly and may be sent at any time to:
Commercial.Transport@gov.bc.ca

1. For single trip permit holders, the routing on your permit must be followed. For term permit holders, this permit is **NOT VALID** for the following locations/routes:
 - (a) **FIRST NARROWS (LIONS GATE) BRIDGE**
 - (b) **PATTULLO BRIDGE**
 - (c) **GEORGE MASSEY TUNNEL** on Hwy 99
 - (d) on Hwy 20 from Anahim Lake to Hagensborg
 - (e) under the **WARFIELD UNDERPASS** on Hwy 3B/22, for heights in excess of 4.15 metres
2. This permit is **NOT VALID** under the following conditions:
 - (a) when because of unfavourable atmospheric conditions persons or vehicles on a highway are not clearly discernible at a distance of 100 metres
 - (b) when the load is reducible in size unless specified
3. For Park Model trailers only, during the Travel Times Pilot, travel will be permitted on Fridays and Saturdays from 15:30 until 04:00 the next day, and during General Holiday restrictions.
4. When permitted to travel during the hours of darkness the following additional requirements shall become a condition of the permit:
 - (a) **HOUSE TRAILERS, MOBILE and MODULAR HOMES** shall be equipped with and operate two (2) flashing sealed beam amber lamps not less than 15 centimetres in diameter mounted on the two (2) upper corners facing to the rear. Two amber strobe lamps not less than 11 centimetres in diameter may also be used.
 - (b) **THE TOWING VEHICLE** shall either be equipped with and operate a 32 candela **FLOOD LAMP**, which shall be mounted on the hitch or frame within 60 centimetres of the mobile or modular home so that the light emitted illuminates the upper front portion of the home, or the towing unit shall be equipped with and operate 1 or 2 rotating or strobe lights, amber in colour.
5. **SIGNS:** Loads exceeding 3.5 metres in width must display on the rear of the structure the additional sign "**CAUTION – MAY SLOW OR STOP UNEXPECTEDLY**" as required by Division 8.03(2).
6. **LAMPS AND FLAGS:**

When oversize vehicle/loads are authorized by permit to travel at night, these vehicles/loads shall be lighted as follows: Rear projections – red lights (MVAR 4.20); Overwidth vehicle/loads (MVAR 4.22); Front extremities – amber lights, Rear extremities – red lights.
7. **SIGNS:** Must meet specifications of Division 8, *Commercial Transport Regulations*.

8. **MIRRORS:** If the vehicle or load obscures the rear vision from the towing vehicle, the REAR VIEW MIRRORS must be extended or positioned so as to provide the driver with an undistorted reflected view of the adjacent lane of the highway from a point on the road surface 11 metres behind the driver to the point on the road surface 61 metres from the rear of the combination of vehicles.
9. **CONVOYING:** There shall be no convoying of oversize vehicles/loads except as required by the permit. Convoying means any two oversize vehicles/loads from the same company which are in transit less than 1 kilometre apart on a section of highway.
10. **PILOT CAR:** A guide to pilot car requirements is listed below for both daylight and darkness travel:

REQUIREMENTS:
NUMBER OF PILOT CARS REQUIRED

Length	Up to 3.2 metres wide	Over 3.2 metres to 3.5 metres wide	Over 3.5 metres to 3.8 m wide
Up to 27.5 metres	Nil	1 *Not required during daylight hours if towing vehicle equipped with 1 or 2 rotating amber or strobe lamps except as noted.	1
Over 27.5 metres and up to 31.5 metres	1	1	1

*Pilot car is required on following highways at all times

- (a) Highway #4 – Taylor River Bridge – Tofino (Taylor River Bridge is 40 km west of Port Alberni)
- (b) Port Alice Highway from Highway #19
- (c) Highway #3A and #31 – Nelson – Balfour – Galena Bay
- (d) Highway #97 Mile 317 (JCT 77/97) to Yukon Border
- (e) Highway #99 North of Pemberton to Lillooet
- (f) Highway #101 – Langdale – Earl’s Cove
- (g) Highway #33 – Southbound only, to approach and cross Westbridge Bridge

12. **DIMENSIONS:**

- (a) Manufactured Home/ Modular Building:

Dimensions shall not exceed the following:

Overall length of the manufactured home/modular building including hitch 24.4 metres

Box length not to exceed 20.5 metres.

- (b) Overall vehicle combination dimensions shall not exceed the following:

Overall Length:

- including single axle drive towing vehicle.....30.5 metres
- including tandem axle drive towing vehicle.....31.5 metres

AMBER LAMPS ON TOP OF CAB OF TOWING VEHICLE must be at least 15 cm diameter and 12 cm in height. Strobe lamps must be at least 11 cm diameter and 12 cm in height. For vehicles/loads exceeding 3.5 metres in width or 27.5 metres in length, these lamps on the towing vehicle may be used for additional safety.

Amber lamps may also be used for additional safety at the rear of the vehicle or load.

TWO WAY RADIO communication is required between pilot car and towing vehicle.

ADDITIONAL PILOT CARS may be required depending upon the route and nature of the load. On two-lane or three-lane highways, the pilot car shall be in front of the vehicle or load and on four-lane highways, it shall be to the rear.