



B-R-101-1 Series  
Page 1



B-R-101-2 Series  
Page 1



THIS SIDE OF BARRIER  
CYCLISTS STOP AND DISMOUNT



ON SIDEWALK  
DOWN RAMP



CYCLISTS PROHIBITED



NARROW ROADS AND SHOULDERS  
RIDE SINGLE FILE  
ON ROAD



CYCLISTS SINGLE FILE  
KEEP RIGHT



CYCLISTS  
YIELD TO OPPOSING CYCLISTS



CYCLISTS USE SIDEWALK ONLY  
YIELD RIGHT OF WAY TO PEDESTRIANS



B-R-112 Series  
Page 4



B-R-116-L Series  
Page 4



B-R-116-R Series  
Page 5



B-R-118-L Series  
Page 5



B-R-118-R Series  
Page 6



B-R-120 Series  
Page 6



B-R-124 Series  
Page 7



B-W-310-1 Series  
Page 7



B-W-310-1 Tabs  
Page 8



CYCLISTS USE CAUTION



B-W-310-2 Series  
Pages 8



GROOVED BRIDGE DECK  
UNEVEN ROAD



UNEVEN PATHWAY  
RAILWAY CROSSING



CATTLEGUARD



B-W-315 Series  
Page 9



B-W-320 Series  
Page 10



B-C-002 Series  
Page 10



B-C-004-1A Series  
Page 11



B-C-004-1L Series  
Page 11



B-C-004-1R Series  
Page 12



B-C-004-2 Series  
Page 12



B-C-004 Tabs  
Page 13



400 m



B-C-020 Series  
Page 13



B-C-020 Tab  
Page 14



B-G-001 Series  
Page 14



Destination A  
Destination A  
Destination B



Destination A  
Destination B  
Destination C



CROSS HERE WHEN SAFE



Up arrow  
Down arrow



B-G-002 Series  
Page 17



B-G-002 Tab  
Page 18



B-G-003-1L Series  
Page 18



B-G-003-1R Series  
Page 19



B-G-003-2L Series  
Page 19



B-G-003-2R Series  
Page 20



B-G-004 Series  
Page 20



B-G-006-1 Series  
Page 21



B-G-006-2 Series  
Page 21



B-G-006-3 Series  
Page 22



B-G-010-1 Series  
Page 22










B-G-010-2 Series  
Page 23



<b>Sign Item Number</b>	<b>Description</b>	<b>Page</b>
B-R-101-1	No Bike symbol	1
B-R-101-2	Walk Bicycle symbol	1
B-R-101-Ta	This Side of Barrier tab	1
B-R-101-Tb	Cyclists Stop & Dismount tab	1
B-R-101-Tc	On Sidewalk tab	1
B-R-101-Td	Down Ramp tab	1
B-R-101-Te	Cyclists Prohibited tab	1
B-R-104-1	Bike symbol Narrow Roads & Shoulders Ride Single File No Stopping symbol On Road	2
B-R-104-2	Cyclists Single File Keep Right	2
B-R-106	Bike symbol Yield to Opposing Cyclists	3
B-R-108	Cyclists Use Sidewalk Only YIELD Right of Way to Pedestrians	3
B-R-112	Ped/Bike symbols Must Use Sidewalk At All Times Freeway Crossing Prohibited	4
B-R-116-L	Ped/Bike symbols with Signal Push Button symbol LEFT ARROW	4
B-R-116-R	Ped/Bike symbols with Signal Push Button symbol RIGHT ARROW	5
B-R-118-L	Bike symbol with Signal Push Button symbol LEFT ARROW	5
B-R-118-R	Bike symbol with Signal Push Button symbol RIGHT ARROW	6
B-R-120	Bike symbol with Signal Push Button symbol AHEAD ARROW	6
B-R-124	Cyclists Must Push Button to Warn of Presence in Tunnel	7
B-W-310-1	Bike Slippery Surface symbol	7
B-W-310-1Ta	Slippery When Wet tab	8
B-W-310-1Tb	Slippery When Frosty tab	8
B-W-310-1Tc	Cyclists Use Caution tab	8
B-W-310-2	Cyclist Crash symbol Broken/Grooved Pavement symbol	8
B-W-310-2Ta	Grooved Bridge Deck tab	9
B-W-310-2Tb	Uneven Road tab	9
B-W-310-2Tc	Uneven Pathway tab	9
B-W-310-2Td	Railway Crossing tab	9
B-W-310-2Te	Cattleguard tab	9
B-W-315	Oncoming Traffic	9
B-W-320	Bike symbol Downhill Grade symbol ( ) %	10
B-C-002	Bike symbol Lane Closed	10
B-C-004-1A	Bike symbol Detour AHEAD ARROW	11
B-C-004-1L	Bike symbol Detour AHEAD-LEFT ARROW	11
B-C-004-1R	Bike symbol Detour AHEAD-RIGHT ARROW	12
B-C-004-2	Bike symbol Detour Ends	12
B-C-004-Ta	Next ( ) km tab	13
B-C-004-Tb	( ) . ( ) km tab	13
B-C-004-Tc	( )00 m tab	13
B-C-020	Bike symbol SLOW Ped symbol	13
B-C-020-T	Watch for Pedestrians tab	14
B-G-001	Bike symbol Bike Route	14
B-G-001-Ta	Single Destination ( ) ARROW	15
B-G-001-Tb	Double Destination ( ) ARROW	15
B-G-001-Tc	Triple Destination ( ) ARROW	16
B-G-001-Td	Cross Here When Safe tab	16
B-G-001-TeA	AHEAD ARROW tab	17
B-G-001-TeLR	LEFT/RIGHT ARROW tab	17

<b>Sign Item Number</b>	<b>Description</b>	<b>Page</b>
B-G-002	Ped/Cyclist symbol Bike & Pedestrian Route	17
B-G-002-T	( ) ARROW ( ) m tab	18
B-G-003-1L	Bike symbol - left Ped symbol - right (Path/Lane order)	18
B-G-003-1R	Ped symbol - left Bicycle symbol - right (Path/Lane order)	19
B-G-003-2L	Bike symbol - left AHEAD ARROW One Way Ped symbol - right (Path/Lane order)	19
B-G-003-2R	Ped symbol - right Bike symbol - left AHEAD ARROW One Way (Path/Lane order)	20
B-G-004	Bike symbol AHEAD ARROW One Way	20
B-G-006-1	Bicycle symbol with Route Symbol, Direction & ARROW	21
B-G-006-2	Bicycle symbol with Double Route Symbols, Directions & ARROWS	21
B-G-006-3	Bicycle symbol with Route Symbol, Direction & ARROW and Ferry Terminal	22
B-G-010-1	Bike Lane Begins	22
B-G-010-2	Bike Lane Ends	23

0.081 Aluminum				
				
B-R-101-1		B-R-101-2		
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-R-101-1	600 x 600	1	-	Slow Speed / Bicycle
B-R-101-2	600 x 600	1	RTE	Slow Speed / Bicycle

0.081 Aluminum				
				
B-R-101-Ta		B-R-101-Tb		B-R-101-Tc
				
B-R-101-Td		B-R-101-Te		
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-R-101 Tabs	600 x 300	1	RTE	Slow Speed / Bicycle
<i>NOTE: Provide individual tab number when placing order.</i>				

0.081 Aluminum





Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-R-104-1	600 x 750	1	-	Slow Speed / Bicycle

0.081 Aluminum





Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-R-104-2	450 x 300	1	-	Slow Speed / Bicycle


0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-R-106	450 x 600	1	-	Slow Speed / Bicycle


0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-R-108	450 x 600	1	-	Slow Speed / Bicycle


0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-R-112	450 x 600	1	-	Slow Speed / Bicycle


0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-R-116-L	130 x 200	1	-	Static / Bicycle


0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-R-116-R	130 x 200	1	-	Static / Bicycle

0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-R-118-L	130 x 200	1	-	Static / Bicycle

0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-R-118-R	130 x 200	1	-	Static / Bicycle

0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-R-120	450 x 600	1	-	Static / Bicycle

0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-R-124	750 x 600	1	-	Slow Speed / Bicycle

0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-W-310-1	450 x 450	9	RTE	Slow Speed / Bicycle

0.081 Aluminum



B-W-310-1Ta



B-W-310-1Tb



B-W-310-1Tc

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-W-310-1 Tabs	400 x 200	9	RTE	Slow Speed / Bicycle


*NOTE: Provide individual tab number when placing order.*

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-W-310-2	450 x 450	9	RTE	Slow Speed / Bicycle

0.081 Aluminum




**GROOVED  
BRIDGE DECK**

B-W-310-2Ta




**UNEVEN  
ROAD**

B-W-310-2Tb




**UNEVEN  
PATHWAY**

B-W-310-2Tc



**CATTELGUARD**

B-W-310-2Td




**RAILWAY  
CROSSING**

B-W-310-2Te

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-W-310-2 Tabs	400 x 200	9	RTE	Slow Speed / Bicycle

*NOTE: Provide individual tab number when placing order.*

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-W-315	450 x 450	9	RTE	Slow Speed / Bicycle

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-W-320	450 x 450	9	RTE	Slow Speed / Bicycle


See T-Circ T-02/05

See T-Circ T-09/05




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-C-002	450 x 450	9	RTE	Slow Speed / Bicycle

See T-Circ T-02/05
See T-Circ T-09/05



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-C-004-1A	450 x 450	9	RTE	Slow Speed / Bicycle

See T-Circ T-02/05
See T-Circ T-09/05



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-C-004-1L	450 x 450	9	RTE	Slow Speed / Bicycle

See T-Circ T-02/05

See T-Circ T-09/05



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-C-004-1R	450 x 450	9	RTE	Slow Speed / Bicycle


See T-Circ T-02/05

See T-Circ T-09/05



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-C-004-2	450 x 450	9	RTE	Slow Speed / Bicycle

See T-Circ T-02/05
See T-Circ T-09/05




B-C-004-Ta

B-C-004-Tb

B-C-004-Tc

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-C-004-Tabs	400 x 200	9	RTE	Slow Speed / Bicycle

See T-Circ T-02/05
See T-Circ T-09/05



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-C-020	450 x 450	9	RTE	Slow Speed / Bicycle

See T-Circ T-02/05

See T-Circ T-09/05





Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-C-020-T	400 x 200	9	RTE	Slow Speed / Bicycle

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-001	600 x 450	1	-	Slow Speed / Bicycle

0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-001-Ta	600 x 200	1	RTE	Slow Speed / Bicycle

0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-001-Tb	600 x 300	1	RTE	Slow Speed / Bicycle

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-001-Tc	600 x 450	1	RTE	Slow Speed / Bicycle

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-001-Td	600 x 400	1	-	Slow Speed / Bicycle

0.081 Aluminum




B-G-001-TeA



B-G-001-TeLR

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-001-Te Tabs	600 x 300	1	RTE	Slow Speed / Bicycle

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-002	600 x 750	1	RTE	Slow Speed / Bicycle

0.081 Aluminum





Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-002-T	600 x 200	1	RTE	Slow Speed / Bicycle

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-003-1L	600 x 300	1	RTE	Slow Speed / Bicycle

0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-003-1R	600 x 300	1	RTE	Slow Speed / Bicycle

0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-003-2L	600 x 450	1	RTE	Slow Speed / Bicycle

0.081 Aluminum





Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-003-2R	600 x 450	1	RTE	Slow Speed / Bicycle

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-004	600 x 450	1	RTE	Slow Speed / Bicycle

0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-006-1	600 x 900	1	-	Slow Speed / Bicycle

0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-006-2	600 x 900	1	-	Slow Speed / Bicycle

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-006-3	600 x 900	1	-	Slow Speed / Bicycle

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-010-1	450 x 450	1	-	Slow Speed / Bicycle

0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
B-G-010-2	450 x 450	1	-	Slow Speed / Bicycle

