

















































				
G-007-1 Series Page 1	G-007-2 OH Series Page 1	G-007-3 OH Series Page 2	G-008-1A Series Page 2	G-008-2A Series Page 3	G-009 Series Page 3				
									
G-011-1 Series Page 4	G-011-2 Series Page 4	G-011-3 Series Page 5	G-011-4 Series Page 5	G-011-5 Series Page 6	G-011-5 Tab Page 6	G-011 Tabs Page 7			
									
G-030-1 Series Page 8	G-030-1 Tab Pages 8	G-030-2 Series Page 9	G-034 Series Page 9	G-034 Series Page 9	G-034 Tabs Page 10	G-034 Tabs Page 10	G-035 Series Page 10	G-050-1 Series Page 11	G-050-1 Tab Page 11
									
G-050-2 Series Page 12	G-050-3 Series Page 12	G-050-4 Series Page 13	G-050-5 Series Page 13	G-050-5 Tab Page 14	G-050-6 Series Page 14	G-050-6 Tab Page 15	G-050-7 Series Page 15		
									
G-050-7 Tab Page 16	G-050-8 Series Page 16	G-062 Series Page 17	G-065-1 Series Page 17	G-065-2 Series Page 18	G-072 Series Page 18	G-073-A Series Page 19	G-073-L Series Page 19		
									
G-073-R Series Page 20	G-073 Tab Page 20	G-075 Series Page 21	G-075 Tab Page 21	G-092-L Series Page 22	G-092-R Series Page 22				
									
G-094-A Series Page 23	G-094-L Series Page 23	G-094-R Series Page 24	G-096-A Series Page 24	G-096-L Series Page 25	G-096-R Series Page 25				
									
G-100 Tab Series Page 26	G-103-1 Series Page 26	G-103-2 Series Page 27	G-104 Series Page 27	G-105 Series Page 28	G-107-1 Series Page 28				



G-107-2 Series
Pages 29



G-110 Series
Page 29



G-110-A Series
Page 30



G-110-L Series
Page 30



G-110-R Series
Page 31



G-112-A Series
Page 31



G-112-L Series
Page 32



G-112-R Series
Page 32

Custom Guide Signs



G-001 Series



G-003 Series



G-005 Series



G-006 Series



G-128-1 Series



G-128-2 Series



G-140-1 Series



G-140-2 Series



G-142 Series

See *Custom Guide Sign Ordering* (GUIDE SECTION INTRODUCTORY NOTE).

Sign Item Number	Description	Page
G-007-1	(Street Name) - Side Mount	1
G-007-1x	(Street Name) - Side Mount	1
G-007-2 OH	Single (Street Name) - Overhead	1
G-007-2 OH-x	Single (Street Name) - Overhead	1
G-007-3 OH	Double (Street Name) - Overhead	2
G-007-3 OH-x	Double (Street Name) - Overhead	2
G-008-1A	Single (Street Name) Ahead - Side Mount	2
G-008-1Ax	Single (Street Name) Ahead - Side Mount	2
G-008-2A	Double (Street Names) () ARROWS Ahead - Side Mount	3
G-008-2Ax	Double (Street Names) () ARROWS Ahead - Side Mount	3
G-009	Geographical Feature	3
G-009-x	Geographical Feature	3
G-011-1	TCH (Number) Route marker	4
G-011-1x	TCH (Number) Route marker	4
G-011-2	BC Highway (Number) Route marker	4
G-011-2x	BC Highway (Number) Route marker	4
G-011-3	HWY 3 - Crows Nest Route marker	5
G-011-3x	HWY 3 - Crows Nest Route marker	5
G-011-4	HWY (Number) - Yellowhead Route marker	5
G-011-4x	HWY (Number) - Yellowhead Route marker	5
G-011-5	HWY 113 Nisgaa Route marker	6
G-011-5x	HWY 113 Nisgaa Route marker	6
G-011-5T	Nisgaa Highway tab	6
G-011-5Tx	Nisgaa Highway tab	6
G-011-TaA	AHEAD ARROW tab	7
G-011-TaA-x	AHEAD ARROW tab	7
G-011-TaL-1	AHEAD-LEFT ARROW tab	7
G-011-TaL-1x	AHEAD-LEFT ARROW tab	7
G-011-TaL-2	AHEAD-LEFT ANGLED ARROW tab	7
G-011-TaL-2x	AHEAD-LEFT ANGLED ARROW tab	7
G-011-TaL-3	LEFT ANGLED ARROW tab	7
G-011-TaL-3x	LEFT ANGLED ARROW tab	7
G-011-TaLR	LEFT/RIGHT ARROW tab	7
G-011-TaLR-x	LEFT/RIGHT ARROW tab	7
G-011-TaR-1	AHEAD-RIGHT ARROW tab	7
G-011-TaR-1x	AHEAD-RIGHT ARROW tab	7
G-011-TaR-2	AHEAD-RIGHT ANGLED ARROW tab	7
G-011-TaR-2x	AHEAD-RIGHT ANGLED ARROW tab	7
G-011-TaR-3	RIGHT ANGLED ARROW tab	7
G-011-TaR-3x	RIGHT ANGLED ARROW tab	7
G-011-Tb1	JCT tab	7
G-011-Tb1-x	JCT tab	7
G-011-Tc1	East tab	7
G-011-Tc1-x	East tab	7
G-011-Tc2	West tab	7
G-011-Tc2-x	West tab	7
G-011-Tc3	North tab	7
G-011-Tc3-x	North tab	7

Sign Item Number	Description	Page
G-011-Tc4	South tab	7
G-011-Tc4-x	South tab	7
G-011-Td	By-Pass tab	7
G-011-Tdx	By-Pass tab	7
G-011-Te	Business tab	7
G-011-TeX	Business tab	7
G-011-Tf	Ends tab	7
G-011-Tfx	Ends tab	7
G-011-Tg	To tab	7
G-011-Tgx	To tab	7
G-011-Th1	()00 m tab	7
G-011-Th1-x	()00 m tab	7
G-011-Th2	() km tab	7
G-011-Th2-x	() km tab	7
G-011-Tb2	Junction tab	7
G-011-Tb2-x	Junction tab	7
G-030-1	H Hospital	8
G-030-1x	H Hospital	8
G-030-1T	(Hospital Name) tab	8
G-030-1Tx	(Hospital Name) tab	8
G-030-2	Medical Clinic	9
G-030-2x	Medical Clinic	9
G-034	First Aid symbol	9
G-034-x	First Aid symbol	9
G-034-Ta	First Aid Post	10
G-034-Tax	First Aid Post	10
G-034-Tb1	Emergency 24 hours tab	10
G-034-Tb1-x	Emergency 24 hours tab	10
G-034-Tb2	Emergency hours of operation tab	10
G-034-Tb2-x	Emergency hours of operation tab	10
G-035	Police	10
G-035-x	Police	10
G-050-1	International Airport symbol	11
G-050-1x	International Airport symbol	11
G-050-1T	Airport Designation (Name) tab	11
G-050-1Tx	Airport Designation (Name) tab	11
G-050-2	Local/Regional Airport symbol	12
G-050-3	Float-plane symbol	12
G-050-4	Helicopter symbol	13
G-050-5	Ferry symbol	13
G-050-5x	Ferry symbol	13
G-050-5T	Destination tab	14
G-050-5Tx	Destination tab	14
G-050-6	Cargo Ferry symbol	14
G-050-6T	Cargo Ferry tab	15
G-050-7	Cruise Ship symbol Cruise Ship	15
G-050-7x	Cruise Ship symbol Cruise Ship	15
G-050-7T	Use () Street Direction Cardinal tab	16


Sign Item Number	Description	Page
G-050-7Tx	Use () Street Direction Cardinal tab	16
G-050-8	Train Station symbol	16
G-062	Parking symbol (P)	17
G-065-1	Bus symbol Park & Ride	17
G-065-1x	Bus symbol Park & Ride	17
G-065-2	Carpool symbol Park & Pool	18
G-065-2x	Carpool symbol Park & Pool	18
G-072	Follow U-Turn Route	18
G-072-x	Follow U-Turn Route	18
G-073-A	U-Turn Route AHEAD ARROW	19
G-073-Ax	U-Turn Route AHEAD ARROW	19
G-073-L	U-Turn Route LEFT ARROW	19
G-073-Lx	U-Turn Route LEFT ARROW	19
G-073-R	U-Turn Route RIGHT ARROW	20
G-073-Rx	U-Turn Route RIGHT ARROW	20
G-073-T	Use () Rd tab	20
G-073-Tx	Use () Rd tab	20
G-075	No Thru Road (Dead End) symbol	21
G-075-T	Dead End tab	21
G-092-L	Frontage Rd LEFT ARROW	22
G-092-R	Frontage Rd RIGHT ARROW	22
G-094-A	Business Frontage Rd AHEAD ARROW	23
G-094-L	Business Frontage Rd LEFT ARROW	23
G-094-R	Business Frontage Rd RIGHT ARROW	24
G-096-A	Business Centre AHEAD ARROW	24
G-096-L	Business Centre LEFT ARROW	25
G-096-R	Business Centre RIGHT ARROW	25
G-100-1	AHEAD ARROW tab	26
G-100-1x	AHEAD ARROW tab	26
G-100-2	() km AHEAD ARROW tab	26
G-100-2x	() km AHEAD ARROW tab	26
G-100-3	DOUBLE ARROW tab	26
G-100-3x	DOUBLE ARROW tab	26
G-100-4	LEFT/RIGHT ARROW tab	26
G-100-4x	LEFT/RIGHT ARROW tab	26
G-100-5	() km LEFT ARROW tab	26
G-100-5x	() km LEFT ARROW tab	26
G-100-6	LEFT ANGLED ARROW tab	26
G-100-6x	LEFT ANGLED ARROW tab	26
G-100-7	() km LEFT ANGLED ARROW tab	26
G-100-7x	() km LEFT ANGLED ARROW tab	26
G-100-8	() km RIGHT ARROW tab	26
G-100-8x	() km RIGHT ARROW tab	26
G-100-9	RIGHT ANGLED ARROW tab	26
G-100-9x	RIGHT ANGLED ARROW tab	26
G-100-10	() km RIGHT ANGLED ARROW tab	26
G-100-10x	() km RIGHT ANGLED ARROW tab	26
G-100-11	()00 m tab	26

Sign Item Number	Description	Page
G-100-11x	()00 m tab	26
G-100-12	() km tab	26
G-100-12x	() km tab	26
G-103-1	Exit RIGHT ANGLED 30 Degree ARROW	26
G-103-2	Exit RIGHT ANGLED 45 Degree ARROW Exit (Number)	27
G-104	km Reference marker	27
G-105	Freeway Entrance	28
G-107-1	Freeway Begins	28
G-107-2	Freeway Ends	29
G-110	Truck Entrance ()00 m	29
G-110-A	Truck Entrance AHEAD ARROW	30
G-110-L	Truck Entrance LEFT ARROW	30
G-110-R	Truck Entrance RIGHT ARROW	31
G-112-A	Truck Exit AHEAD ARROW	31
G-112-L	Truck Exit LEFT ARROW	32
G-112-R	Truck Exit RIGHT ARROW	32

GUIDE SECTION INTRODUCTORY NOTE


Custom Guide Sign Ordering

Custom Guide Signs (*samples shown below*) require a sign record. Submit a *Custom Sign Design Request* order form H 0172-1 (available as an INSERT in this catalogue and online at the Ministry intranet site at <http://gww.th.gov.bc.ca/forms/search.aspx>) to the Provincial Sign Program. Refer to the INTRODUCTION for further information on Custom Sign ordering.



0.25 Al Flatbar


Ext Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-007-1	WTS* x 152	1	-	Local Road / Low Speed
G-007-1x	WTS* x 228	1	-	Arterial

*NOTE: Side-mount. G-007-1 uses 0.25 Al Flatbar, G-007-1x uses Ext Aluminum.
Sign width-to-suit based on character count.

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-007-2 OH	WTS* x 300	9/9	-	Local Road / Low Speed
G-007-2 OH-x	WTS* x 400	9/9	-	Arterial

*NOTE: Overhead-mount (OH).
Sign width-to-suit based on character count.

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-007-3 OH	WTS* x 450	9/9	-	Local Road / Low Speed
G-007-3 OH-x	WTS* x 600	9/9	-	Arterial

*NOTE: Double direction overhead-mount (OH).
Sign width-to-suit based on character count.


16 mm MDO PLY



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-008-1A	WTS* x 405	9/3	-	Local Road / Low Speed
G-008-1Ax	WTS* x 610	9/3	-	Arterial to Freeway

*NOTE: Single Street Ahead series. Side-mount. *Sign width-to-suit based on character count.*


14 mm MDO PLY



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-008-2A	WTS* x 610	9/3	-	Arterial or Expressway
G-008-2Ax	WTS* x 915	9/3	-	Freeway

*NOTE: Double Street Ahead series. Side mount. *Sign width-to-suit based on character count.*

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-009	WTS* x 405	9/3	-	Expressway
G-009-x	WTS* x 610	9/3	-	Freeway

*NOTE: Geographical feature.
Sign width-to-suit based on character count.

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-011-1	450 x 600	1	-	Local Road / Low Speed or Arterial
G-011-1x	750 x 900	1	-	Expressway or Freeway


NOTE: Sign order must identified required Route number.


0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-011-2	510 x 600	1	-	Local Road / Low Speed or Arterial
G-011-2x	765 x 900	1	-	Expressway or Freeway

NOTE: Sign order must identified required Route number.

0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-011-3	510 x 600	1	-	Local Road / Low Speed or Arterial
G-011-3x	765 x 900	1	-	Expressway or Freeway

0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-011-4	510 x 600	1	-	Local Road / Low Speed or Arterial
G-011-4x	765 x 900	1	-	Expressway or Freeway
<i>NOTE: Sign order must identified required Route number.</i>				

0.081 Aluminum






















Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-011-5	510 x 600	1	SPM	Local Road / Low Speed or Arterial
G-011-5x	765 x 900	1	SPM	Expressway or Freeway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-011-5T	450 x 300	1	SPM	Local Road / Low Speed or Arterial
G-011-5Tx	600 x 300	1	SPM	Expressway or Freeway


0.081 Aluminum

 G-011-TaA G-011-TaA-x	 G-011-TaL-1 G-011-TaL-1x	 G-011-TaL-2 G-011-TaL-2x	 G-011-TaL-3 G-011-TaL-3x	 G-011-TaLR G-011-TaLR-x	 G-011-TaR-1 G-011-TaR-1x	 G-011-TaR-2 G-011-TaR-2x
 G-011-TaR-3 G-011-TaR-3x	 G-011-Tb1 G-011-Tb1-x	 G-011-Tc1 G-011-Tc1-x	 G-011-Tc2 G-011-Tc2-x	 G-011-Tc3 G-011-Tc3-x	 G-011-Tc4 G-011-Tc4-x	 G-011-Td G-011-Td-x
 G-011-Te G-011-Te-x	 G-011-Tf G-011-Tf-x	 G-011-Tg G-011-Tg-x	 G-011-Th1 G-011-Th1-x	 G-011-Th2 G-011-Th2-x		

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-011 Tabs	450 x 300	1	-	Local Road / Low Speed or Arterial
G-011-x Tabs	600 x 300	1	-	Expressway or Freeway

NOTE: Provide the individual tab number by size when placing order.

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-011-Tb2	900 x 300	1	-	Local Road / Low Speed or Arterial
G-011-Tb2-x	1200 x 450	1	-	Expressway or Freeway

NOTE: Tab for double (side-by-side) route marker placement.

0.081 Aluminum




For Use With:



G-100 Arrow Series Tabs


Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-030-1	600 x 600	1	-	Local Road / Low Speed or Arterial
G-030-1x	750 x 750	1	RTE	Expressway

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-030-1T	600 x 450	1	RTE	Local Road / Low Speed or Arterial
G-030-1Tx	750 x 450	1	RTE	Expressway

0.081 Aluminum




For Use With:




G-100 Arrow Series Tabs

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-030-2	600 x 600	1	-	Local Road / Low Speed or Arterial
G-030-2x	750 x 750	1	RTE	Expressway

0.081 Aluminum




For Use With:




G-100 Arrow Series Tabs

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-034	600 x 600	1	RTE	Local Road / Low Speed or Arterial
G-034-x	750 x 750	1	RTE	Expressway


0.081 Aluminum




Typical tab configuration for G-034 Series.



G-034-Ta
G-034-Tax



G-034-Tb1
G-034-Tb1-x




G-034-Tb2
G-034-Tb2-x


Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-034 Tabs	600 x 300	1	RTE	Local Road / Low Speed or Arterial
G-034-x Tabs	750 x 450	1	RTE	Expressway

*NOTE: Provide the individual tab number by size when placing order.
G-034-Ta is placed on top of G-034 as illustrated.*

0.081 Aluminum




For Use With:




G-100 Arrow Series Tabs

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-035	600 x 300	1	-	Local Road / Low Speed or Arterial
G-035-x	750 x 375	1	RTE	Expressway

0.081 Aluminum




For Use With:



G-100 Arrow Series Tabs


Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-050-1	600 x 600	1	-	Local Road / Low Speed or Arterial
G-050-1x	750 x 750	1	RTE	Expressway or Freeway

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-050-1T	600 x 450	1	RTE	Local Road / Low Speed or Arterial
G-050-1Tx	750 x 450	1	RTE	Expressway or Freeway

0.081 Aluminum




For Use With:




G-100 Arrow Series Tabs

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-050-2	600 x 600	1	-	Local Road / Low Speed or Arterial

0.081 Aluminum




For Use With:




G-100 Arrow Series Tabs

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-050-3	600 x 600	1	-	Local Road / Low Speed or Arterial

0.081 Aluminum




For Use With:




G-100 Arrow Series Tabs

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-050-4	600 x 600	1	-	Local Road / Low Speed or Arterial

0.081 Aluminum



For Use With:



G-100 Arrow Series Tabs

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-050-5	600 x 600	1	-	Local Road / Low Speed or Arterial
G-050-5x	750 x 750	1	RTE	Expressway or Freeway

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-050-5T	600 x 450	1	-	Local Road / Low Speed or Arterial
G-050-5Tx	750 x 450	1	-	Expressway or Freeway

0.081 Aluminum




For Use With:



G-100 Arrow Series Tabs


Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-050-6	600 x 600	1	-	Local Road / Low Speed or Arterial

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-050-6T	600 x 450	1	-	Local Road / Low Speed or Arterial

0.081 Aluminum



For Use With:



G-100 Arrow Series Tabs

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-050-7	600 x 600	1	-	Local Road / Low Speed or Arterial
G-050-7x	750 x 750	1	-	Expressway

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-050-7T	600 x 450	1	-	Local Road / Low Speed or Arterial
G-050-7Tx	750 x 450	1	-	Expressway

0.081 Aluminum




For Use With:



G-100 Arrow Series Tabs


Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-050-8	600 x 600	1	-	Local Road / Low Speed or Arterial

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-062	600 x 600	1	-	Local Road / Low Speed

0.081 Aluminum



For Use With:



G-100 Arrow Series Tabs


Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-065-1	600 x 900	1	-	Local Road / Low Speed or Arterial
G-065-1x	750 x 1200	1	-	Expressway

NOTE: Refer to I-111 Series in the Information Section for related Carpool information signs.

0.081 Aluminum



For Use With:



G-100 Arrow Series Tabs


Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-065-2	600 x 900	1	-	Local Road / Low Speed or Arterial
G-065-2x	750 x 1200	1	-	Expressway


NOTE: Refer to I-111 Series in the Information Section for related Carpool information signs.

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-072	750 x 750	1	RTE	Arterial
G-072-x	900 x 900	1	RTE	Expressway

0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-073-A	750 x 750	1	RTE	Arterial
G-073-Ax	900 x 900	1	RTE	Expressway

0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-073-L	750 x 750	1	RTE	Arterial
G-073-Lx	900 x 900	1	RTE	Expressway

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-073-R	750 x 750	1	RTE	Arterial
G-073-Rx	900 x 900	1	RTE	Expressway

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-073-T	750 x 450	1	RTE	Arterial
G-073-Tx	900 x 600	1	RTE	Expressway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-075	600 x 600	1	-	Local Road / Low Speed

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-075-T	600 x 300	1	-	Local Road / Low Speed

14 mm MDO PLY




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-092-L	1220 x 610	1	-	Local Road / Low Speed

14 mm MDO PLY




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-092-R	1220 x 610	1	-	Local Road / Low Speed

14 mm MDO PLY



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-094-A	1220 x 610	1	-	Local Road / Low Speed

14 mm MDO PLY



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-094-L	1220 x 610	1	-	Local Road / Low Speed

14 mm MDO PLY




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-094-R	1220 x 610	1	-	Local Road / Low Speed

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-096-A	750 x 600	1	-	Local Road / Low Speed

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-096-L	750 x 600	1	-	Local Road / Low Speed

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-096-R	750 x 600	1	-	Local Road / Low Speed

0.081 Aluminum



G-100-1 / G-100-1x



G-100-2 / G-100-2x



G-100-3 / G-100-3x



G-100-4 / G-100-4x



G-100-5 / G-100-5x



G-100-6 / G-100-6x



G-100-7 / G-100-7x



G-100-8 / G-100-8x



G-100-9 / G-100-9x



G-100-10 / G-100-10x



G-100-11 / G-100-11x



G-100-12 / G-100-12x

Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-100 Tabs	600 x 300	1	-	Local Road / Low Speed or Arterial
G-100-x Tabs	750 x 300	1	-	Expressway (or Freeway*)


*NOTE: Provide the individual tab number when placing order. Match parent sign width.
For use on Freeway ONLY with G-050-1 & G-050-5 (750mm x 750mm) parent.

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-103-1	1830 x 1220	9/3	-	Expressway or Freeway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-103-2	1830 x 1220	9/3	-	Expressway or Freeway

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-104	200 x *HTS	1	-	Arterial to Freeway

*NOTE: *Sign height-to-suit based on character count.*

0.081 Aluminum





Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-105	750 x 450	3	RTE	Freeway (On Ramps)

Ext Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-107-1	2440 x 1220	3	RTE	Expressway or Freeway

Ext Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-107-2	2440 x 1220	3	RTE	Expressway or Freeway

0.081 Aluminum				
				
Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-110	750 x 750	3	RTE	Local Road / Low Speed to Arterial

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-110-A	750 x 750	3	RTE	Local Road / Low Speed to Arterial

0.081 Aluminum




Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-110-L	750 x 750	3	RTE	Local Road / Low Speed to Arterial

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-110-R	750 x 750	3	RTE	Local Road / Low Speed to Arterial

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-112-A	750 x 750	3	RTE	Local Road / Low Speed

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-112-L	750 x 750	3	RTE	Local Road / Low Speed

0.081 Aluminum



Sign Item Number	Dimensions (W x H) mm	Reflectivity ASTM Type	MoT Approval	Typical Application
G-112-R	750 x 750	3	RTE	Local Road / Low Speed